

**SPI**LIGHTING  
is going  
**green**

Look for our new "green" energy savings column  
and our shorter conceptual literature format.

[www.spilighting.com/monet](http://www.spilighting.com/monet)

Visit the link for more on SPI Lighting's  
Green Initiative and  
full product specification details.

# ADVENT

ARCHITECTURAL  
LIGHTING

## MONET

Interior and Exterior  
Artistic Motifs  
Three Fixture Mounts  
ADA Compliant  
Vibrant Color Gels  
Linear Fluorescents  
Dimming Ballasts



**SPI**LIGHTING



PT31 FINISH - FP06 MOTIF

## Monet

With a flash of style and a touch of class, Advent Monet makes a positive impression on an area with vibrant supplemental light, while vivid color gels and luminous borders complete an energetic design. The Monet family consists of internal sconces, pendants and ceiling mounts, as well as external wall mounts. Efficient T5, T5HO and T8 lampings with dimming ballast options allow Monet to empower a space in a simple, elegant form. Giving interiors and exteriors an artistic twist with distinctive motifs, Monet allows a consistent look to flow throughout an entire lighting design.



# Monet

## Monet – Wall Mount



Wall mounted Monet luminaires brighten up a space and serve as an ADA compliant guide and artistic visual path. Both interior and exterior Monet sconces can be surface mounted or fully recessed. Upon installation, interior recessed wall mounts have the ability to switch between a flush or floating faceplate with standard standoff components.

## Monet – Ceiling Mount



Monet ceiling luminaires are decorative interior fixtures that can be either surface mounted or recessed into the ceiling. In addition to providing functional illumination to a space in a compact form, ceiling mounted fixtures allow a lighting design to envelop an entire space.

## Monet – Pendant Mount



Interior Monet pendants are unique low-profile luminaires suspended by aircraft cables. With direct and indirect illumination, Monet pendants provide abundant functional illumination, delivering the desired light levels while aesthetically finishing the space design.

## Contents

Mounting Options	2
Product Features	4
Motifs	6
Interior Recessed Wall Mount	8
Interior Surface Wall Mount	8
Interior Recessed Ceiling Mount	10
Interior Surface Ceiling Mount	10
Interior Pendant Mount	12
Exterior Recessed Wall Mount	14
Exterior Surface Wall Mount	14
Specifying Monet	16
Finishes	17
Index	17


# Monet

## Mounting Options



**AIW 10474**  
(BAL FINISH - FP06 MOTIF)  
INSTALLED WITH STANDOFFS

### Interior Wall Mount



**AIW 10474**  
(BAL FINISH - WITHOUT MOTIF)



**AIW 10477**  
(BAL FINISH - WITHOUT MOTIF)

### Exterior Wall Mount



**AEW 10489**  
(BAL FINISH - WITHOUT MOTIF)



**AEW 10492**  
(BAL FINISH - WITHOUT MOTIF)

## Interior Pendant Mount

### Armstrong® TechZone™ Ceiling System Compatible

Monet's ceiling and pendant mounts are ideal to give a space functional decorative light and are a perfect fit in Armstrong's TechZone Ceiling Systems, assuring compatibility of form and finish in a single integrated ceiling system.

This sophisticated family offering utilizes efficient linear fluorescent lamping options, empowering a space in a simple, elegant form. The 2', 3' and 4' pendant and ceiling luminaire, both recessed and surface mounts, comply with the dimensions of the 6-inch-wide linear "zones" of the TechZone System. The precise fit eases installation, while Monet's finish options and artistic motifs create a customized look, adding an element of interest to any lighting design.



**AIP 10486**  
(BAL FINISH - WITHOUT MOTIF)

## Interior Ceiling Mount



**AIC 10483**  
(BAL FINISH - WITHOUT MOTIF)



**AIC 10480**  
(BAL FINISH - WITHOUT MOTIF)

# Monet


## Product Features

### Limitless Design

Monet completes a lighting design by not limiting creativity. Standard or customized colors and motifs provide options that bring original and inspired design visions to life.



### Add Vibrant Color




Red Color Gel

Orange Color Gel

Green Color Gel

Blue Color Gel


### Standard Finishes



Brushed Solid Aluminum


Choose from over 30 standard finishes. (See page 17)

### Optional Accents



Cherry Laminate

Maple Laminate



Embossed Stainless Steel - Linear Pattern


Embossed Stainless Steel - Crosshatch Pattern



### Luminous Edges

Monet's faceplate is balanced with a standard matching luminous edge, while interior versions have a No Perimeter Color (NPC) option that specifies a pure white luminous border. Other gel colors are available upon request. Please consult factory for details.

### Standoff Face Option



Interior recessed Monet wall mounts can carry a flush or floating faceplate. Monet's standard flush faceplate can easily be switched to a  $\frac{3}{4}$ " floating face by replacing the standard components with the supplied, longer standoffs. A flush faceplate keeps the focus on the face design, while a floating face transforms the luminaire look by enhancing side illumination.


Standard Recessed Mount

### A Shade of Green


Monet luminaires give a lighting design a "shade of green" by featuring partially recycled aluminum housings and a recyclable polycarbonate lens. Energy-efficient linear fluorescent lamp sources used in combination with electronic ballasts reduce overall energy use. Monet offers dimming ballasts to even further reduce a building's energy consumption. Advent's vast line of environmentally friendly polyester powder coat paints contain no volatile organic compounds (VOCs), minimizing a design's environmental impact.




**AIW 10477**  
(PT31 FINISH - FP06 MOTIF)



**OPEN**  
(BAL FINISH - FP01 MOTIF)



**BOXES**  
(BAL FINISH - FP02 MOTIF)




**THATCH**  
(BAL FINISH - FP07 MOTIF)



**SQUARES**  
(BAL FINISH - FP08 MOTIF)




**CROSS END**  
(BAL FINISH - FP03 MOTIF)



**SPLIT**  
(BAL FINISH - FP04 MOTIF)



**SPLIT2**  
(BAL FINISH - FP05 MOTIF)




**PRAIRIE**  
(BAL FINISH - FP06 MOTIF)



**PERFORATED**  
(BAL FINISH - FP09 MOTIF)



**PARQUET**  
(BAL FINISH - FP10 MOTIF)



**PINSTRIFE**  
(BAL FINISH - FP11 MOTIF)



**SLATS**  
(BAL FINISH - FP12 MOTIF)

# Interior Wall

Recessed Wall Mount - Surface Wall Mount




**AIW 10474**  
(PT18 FINISH - WITHOUT MOTIF)



**AIW 10474**  
(PT18 FINISH - FPO9 MOTIF)




**AIW 10477**  
(PT18 FINISH - WITHOUT MOTIF)



**AIW 10477**  
(PT18 FINISH - FPO8 MOTIF)

**MONET RECESSED WALL MOUNT**

This mount allows interior Monet wall sconces to recess into the wall, revealing only the face, which can switch between a flush or floating faceplate with  $\frac{3}{4}$ " standoffs. This low-profile fixture is Damp Location listed, ADA compliant and features linear fluorescent lampings with dimming options. The white or optional colored face provides functional light and is accented by a white or matching luminous edge.




MODEL NO.	LAMP TYPE	MAXIMUM WATTS/LUMENS	ENERGY SAVINGS*	W	H	D
AIW 10473	F	24/2000	104W	6.75"	26.0"	0.5"
AIW 10474	F	39/3500	185W	6.75"	38.0"	0.5"
AIW 10475	F	54/5000	266W	6.75"	50.0"	0.5"

\*Energy savings compared to incandescent.

**MONET SURFACE WALL MOUNT**

Surface mounted Monet sconces eliminate the need to recess the fixture housing into the wall, while still complying with ADA requirements. UL listed for Damp Locations, Monet sconces utilize linear fluorescent lampings and dimming options, adding a creative edge to an effectively illuminated path. The white or optional colored face provides functional light and is accented by a white or matching luminous edge.



MODEL NO.	LAMP TYPE	MAXIMUM WATTS/LUMENS	ENERGY SAVINGS*	W	H	D
AIW 10476	F	24/2000	104W	6.75"	26.0"	2.5"
AIW 10477	F	39/3500	185W	6.75"	38.0"	2.5"
AIW 10478	F	54/5000	266W	6.75"	50.0"	2.5"

\*Energy savings compared to incandescent.

# Interior Ceiling

Recessed Ceiling Mount - Surface Ceiling Mount



**AIC 10480**  
(BAL FINISH - FP06 MOTIF)




**AIC 10483**  
(BAL FINISH - FP04 MOTIF)

**MONET RECESSED CEILING MOUNT**



This mount allows interior Monet luminaires to recess into the ceiling, revealing only the faceplate. This low-profile fixture is Damp Location listed and compatible with integrated Armstrong® TechZone™ Ceiling Systems. Linear fluorescent lampings with dimming options support energy-conscious designs, while the white or optional colored face provides functional light and is accented by a white or matching luminous edge.




MODEL NO.	LAMP TYPE	MAXIMUM WATTS/LUMENS	ENERGY SAVINGS*	W	L	D
AIC 10479	F	48/4000	208W	6.75"	26.0"	0.5"
AIC 10480	F	78/7000	370W	6.75"	38.0"	0.5"
AIC 10481	F	108/10000	533W	6.75"	50.0"	0.5"

\*Energy savings compared to incandescent.

**MONET SURFACE CEILING MOUNT**



Monet's surface mounted ceiling luminaires eliminate the need to recess the fixture housing into the ceiling. UL listed for Damp Locations, linear fluorescent lampings with dimming options enable an energy-conscious design. In addition to complying with Armstrong® TechZone™ Ceiling System measurements, the white or optional colored face provides functional light and is accented by a white or matching luminous edge.



MODEL NO.	LAMP TYPE	MAXIMUM WATTS/LUMENS	ENERGY SAVINGS*	W	L	D
AIC 10482	F	24/2000	104W	6.75"	26.0"	2.5"
AIC 10483	F	39/3500	185W	6.75"	38.0"	2.5"
AIC 10484	F	54/5000	266W	6.75"	50.0"	2.5"

\*Energy savings compared to incandescent.

# Interior Pendant

Pendant Mount




**AIP 10486**  
(BAL FINISH - FP02 MOTIF)

## MONET PENDANT MOUNT



Interior Monet pendants are unique low-profile luminaires, suspended by aircraft cables, which provide abundant functional illumination, while finishing a space design. Monet pendants are compatible with the Armstrong® TechZone™ Ceiling System “zones.” Damp Location listed, Monet’s linear fluorescent lampings and dimming options promote energy-conscious designs. The white or optional colored face provides abundant functional lighting and is accented by a white or matching luminous edge.



MODEL NO.	LAMP TYPE	MAXIMUM WATTS/LUMENS	ENERGY SAVINGS*	W	L	H
AIP 10485	F	24/2000	104W	6.75"	26.0"	38.0"
AIP 10486	F	39/3500	185W	6.75"	38.0"	38.0"
AIP 10487	F	54/5000	266W	6.75"	50.0"	38.0"

\*Energy savings compared to incandescent.

WALL

CEILING

PENDANT


EXTERIOR

# Exterior Wall

Recessed Wall Mount - Surface Wall Mount



**AEW 10489**  
(PT31 FINISH - WITHOUT MOTIF)



**AEW 10489**  
(PT31 FINISH - FP07 MOTIF)




**AEW 10492**  
(PT31 FINISH - WITHOUT MOTIF)



**AEW 10492**  
(PT31 FINISH - FP02 MOTIF)

**MONET RECESSED WALL MOUNT**

Exterior ADA compliant Monet recessed wall mounted luminaires are UL listed for Wet Locations and offer linear fluorescent lampings with dimming options. In addition to creating a safe well-lit path, Monet enhances a building façade with its artistic style. The vibrant face provides functional light and is accented by a matching luminous edge.




MODEL NO.	LAMP TYPE	MAXIMUM WATTS/LUMENS	ENERGY SAVINGS*	W	H	D
<b>AEW 10488</b>	F	24/2000	104W	6.75"	26.0"	0.75"
<b>AEW 10489</b>	F	39/3500	185W	6.75"	38.0"	0.75"
<b>AEW 10490</b>	F	54/5000	266W	6.75"	50.0"	0.75"

\*Energy savings compared to incandescent.

**MONET SURFACE WALL MOUNT**

Exterior ADA compliant Monet surface mounted sconces are UL listed for Wet Locations and eliminate the need to recess the fixture housing. Monet energizes an exterior with its artistic style while providing a safe, well-lit path, utilizing linear fluorescent lamp packages with dimming options. The vibrant face provides functional light and is accented by a matching luminous edge.




MODEL NO.	LAMP TYPE	MAXIMUM WATTS/LUMENS	ENERGY SAVINGS*	W	H	D
<b>AEW 10491</b>	F	24/2000	104W	6.75"	26.0"	2.75"
<b>AEW 10492</b>	F	39/3500	185W	6.75"	38.0"	2.75"
<b>AEW 10493</b>	F	54/5000	266W	6.75"	50.0"	2.75"

\*Energy savings compared to incandescent.

# Monet

## Specifying Monet and Finishes




### B Finish Options



Faceplates are available in painted or brushed aluminum finishes, with the housing finished to match. Recessed fixtures receive a superwhite (PT01) housing. Refer to page 17 for additional finish information. Advent uses thermoset polyester powder coat paints. Over 30 standard colors are offered and others are available. Consult factory for custom configurations.

### A Motifs


Twelve artistic motifs can add a creative element to a space. A pattern, design or diffusion of light can be achieved with the different designs. Interior and exterior fixtures are easily linked into the same design scheme when the same pattern is chosen, or a mixture of motifs puts an interesting twist into any lighting design. Monet's standard form comes without a motif; one must be specified. All motifs receive a standard black (PT11) finish, unless specified. Consult factory for custom designs.



### C Lens/Panel Options

#### Vibrant Colored Lens Options

Paint a space with Monet's vibrant color gels. The standard frosted white lens can be transformed to complement any design with these artistic accents. Others available upon request.



#### D Perimeter Edge Lighting

Monet's faceplate is balanced with a standard matching luminous edge, while interior versions have a No Perimeter Color (NPC) option that specifies a pure white luminous border.



### E Optional Accents

#### Wood Laminates

Add texture and warmth with our cherry and maple wood laminate surface accents.



#### Textured Stainless Steel

Monet is offered with two textured stainless steel materials. Our ES1 is an embossed stainless steel-linear pattern and our ES2 is an embossed stainless steel-crosshatch pattern.




## Paint Finishes



**PT01** Superwhite\*




**PT02** White




**PT03** Morning Light



**PT04** Warm White



**PT05** Putty



**PT06** Warm Beige




**PT07** Light Taupe




**PT08** Medium Taupe




**PT09** Medium Gray




**PT10** Dark Gray




**PT11** Black




**PT12** Dark Chocolate




**PT13** Warm Gray




**PT14** Light Gray




**PT15** Sage




**PT16** Spruce




**PT17** Red



**PT18** Deep Red




**PT19** Blue




**PT20** Dark Green


## Metallic Paint Finishes




**PT21** Pearl White\*




**PT22** Platinum\*




**PT27** Deep Copper\*




**PT28** Dark Stainless\*




**PT29** Red Brass\*




**PT31** Medium Bronze\*




**PT32** Dark Bronze\*



**PT46** Aluminum



**PT47** Deep Red Brass



**PT48** Brass



**PT49** Bronze

\*Indicates glossy paint.

## Metal Finishes



**BAL** Brushed Solid Aluminum



**ES1** Embossed Stainless Steel-Linear Pattern



**ES2** Embossed Stainless Steel-Crosshatch Pattern

## Index

### Interior Recessed Wall Mount

AIW 10473	8
AIW 10474	8
AIW 10475	8

### Interior Surface Wall Mount

AIW 10476	8
AIW 10477	8
AIW 10478	8

### Interior Recessed Ceiling Mount

AIC 10479	10
AIC 10480	10
AIC 10481	10

### Interior Surface Ceiling Mount

AIC 10482	10
AIC 10483	10
AIC 10484	10

### Interior Pendant Mount

AIP 10485	12
AIP 10486	12
AIP 10487	12

### Exterior Recessed Wall Mount

AEW 10488	14
AEW 10489	14
AEW 10490	14

### Exterior Surface Wall Mount

AEW 10491	14
AEW 10492	14
AEW 10493	14

## Customization

Advent has the ability to modify products to meet and exceed any customization demand. Monet's options include vivid color gels, custom motifs, colors, materials and finishes. Think outside the box and contact SPI at 262.242.1420 or visit [www.spilighting.com](http://www.spilighting.com) to make your vision, a reality.

For our full finish offering, visit [www.spilighting.com/finishes](http://www.spilighting.com/finishes). Contact [finishes@spilighting.com](mailto:finishes@spilighting.com) for finish samples. For custom colors, please contact factory.

# ARCHITECTURAL LIGHTING



## Pendant

Advent's extensive pendant selection features luminous acrylic bowls and cylinders, as well as opal glass and spun metal options.



## Chandelier

Two and four bowl configurations provide a dramatic effect for large-scale spaces. Also available in cylinder versions.



## Sconce

With styles from classic to contemporary, many meeting ADA requirements, Advent sconces provide a decorative accent for any space, interior or exterior.




## Ceiling

Perfect alone, or as an complementary accent to our other families of product. Surface mount or semi-recessed versions are available.



Advent Catalog



Visit us at [www.spilighting.com](http://www.spilighting.com) to learn more about SPI and our product offerings.

## SPI LIGHTING

10400 NORTH ENTERPRISE DRIVE  
MEQUON, WI 53092

TEL 262-242-1420  
CONTACT@SPILIGHTING.COM

[WWW.SPILIGHTING.COM](http://WWW.SPILIGHTING.COM)

1020-90